

 **Patons**

16
OLD AMERICA
693 4.97

519
EE

Jacket Coat collection

Beehive
SHETLAND CHENKY


 **Patons**
Canadiana


 **Patons**
Diana

 **Patons**
ARAN STYLE

collection de
**Manteaux
&
Vestes**







ni



3.





Jacket & Coat

collection

1. City Sleek (shown on front cover) page 8
2. Sweet' n Sassy..... (shown on pages 2 and 3) page 10
3. Stylish Simplicity..... (shown on page 4) page 11
4. Naughty But Nice..... (shown on page 5) page 14
5. On the Shore (shown on page 6) page 16
6. Sophisticated Sampler (shown on page 35) page 18
7. Love That Aran (shown on pages 36 and 37) page 22
8. Top Notch Trench (shown on page 38) page 24
9. Attention To Detail..... (shown on page 39) page 27
10. Indian-Style Jacket..... (shown on back cover) page 29
- Helpful Hints..... page 33

Beehive
SHETLAND CHUNKY

Patons
Canadiana

Patons
Diana

Patons
ARAN STYLE

Every effort has been taken to ensure the accuracy of these instructions. Patons, however, cannot accept responsibility for typographical errors or misinterpretation of instructions.

Beehive Shetland Light may be substituted for patterns quoting **Patons Canadiana** or **Patons Super Wool**. Please refer to the Quantity Conversion Chart on page 15.

Please note: Needle conversion chart located on page 15.

©PATONS & BALDWINS CANADA INC., 1988.

1001 ROSELAWN AVE., TORONTO M6B 1B8

Printed in Canada.

In the U.S.A. by Susan Bates Inc., Chester, Connecticut 06412.

1. City Sleek

(shown on front cover)

SIZES AND MATERIALS:

Bust measurement
Finished bust
Length from top of shoulder
Sleeve length (excluding cuff)

Small
30-32 ins (76- 81 cm)
34 " (86 ")
21½ " (54 ")
13 " (33 ")

Medium
34-36 ins (86- 91 cm)
38 " (97 ")
22 " (56 ")
14 " (36 ")

Large
38-40 ins (97-102 cm)
42 " (107 ")
22½ " (57 ")
15 " (38 ")

Beehive Shetland Chunky (50 g)

Main colour
Contrasting colour

B 13 balls
A 3 "

16 balls
3 "

18 balls
4 "

Two 5½ mm (U.S. 9) knitting needles or whichever needles you require to produce the tension given below. 2 buttons. One 4.50 mm (U.S. 7) crochet hook.

TENSION: 15 sts and 30 rows = 4 ins (10 cm) in pattern.

SPECIAL ABBREVIATION:

M1 = Make 1 st by picking up horizontal loop lying before next st and working into back of loop.

PATTERN

1st row: (Wrong side). Knit.

2nd row: Knit.

3rd row: Purl.

4th row: Knit.

5th row: Knit.

6th row: Purl.

7th row: Purl.

8th row: Knit.

9th row: Purl.

10th row: Purl.

These 10 rows complete one pattern.

The instructions are written for small size. Any changes necessary for medium size (M) and large size (L) are written in brackets thus: ().

BACK: With B cast on 68 sts (M — 74 sts) (L — 80 sts) and proceed in pattern for 7 rows.

Place markers 18 sts (M — 19 sts) (L — 20 sts) from each end of needle.

To shape back: Next row: (Right side). K2tog. Pattern to 1st marker. K2tog. Pattern to 2 sts before 2nd marker. K2tog. Pattern to last 2 sts. K2tog.

Work 9 rows even in pattern.

Repeat last 10 rows 3 times. 52 sts on needle (M — 58 sts) (L — 64 sts).

Next row: Inc 1 st in 1st st. Pattern to 1 st past 1st marker. M1. Pattern to 1 st before 2nd marker. M1. Pattern to last st. Inc 1 st in last st.

Work 9 rows even in pattern.

Repeat last 10 rows 3 times. 68 sts on needle (M — 74 sts) (L — 80 sts).

Work 10 rows even in pattern.

To shape armholes: Cast off 4 sts beginning next 2 rows.

Dec 1 st each end of needle on next and following alternate row (M — 2 alternate rows) (L — 3 alternate rows). 56 sts on needle (M — 60 sts) (L — 64 sts).

Continue even in pattern until work from armhole cast off edge measures 7 ins (18 cm), (M — 7½ ins) (19 cm), (L — 8 ins) (20 cm) ending with right side facing for next row.

To shape shoulders: Next row: Cast off 6 sts (M and L — 7 sts). Pattern across 13 sts (M — 14 sts) (L — 16 sts) including st left on needle after cast off (neck edge). **Turn.** Leave remaining sts on a spare needle.

Next row: Work 2tog. Pattern to end of row.

Next row: Cast off 6 sts (M — 6 sts) (L — 7 sts). Pattern to last 2 sts. Work 2tog.

Next row: Pattern to end of row. Cast off in pattern.

With right side of work facing, join yarn to remaining sts. Cast off next 18 sts. Pattern to end of row.

Next row: Cast off 6 sts (M and L — 7 sts). Pattern to last 2 sts. Work 2tog.

Next row: Work 2tog. Pattern to end of row.

Next row: Cast off 6 sts (M — 6 sts) (L — 7 sts). Pattern to end of row. Cast off in pattern.

RIGHT FRONT: With B cast on 23 sts (M — 26 sts) (L — 29 sts) and proceed as follows:

1st row: (Wrong side). (Side edge). Pattern to end of row (front edge).

2nd row: (Front edge). Inc 1 st in 1st st. Pattern to end of row (side edge).

Place a marker 18 sts (M — 19 sts) (L — 20 sts) from side edge.

Keeping continuity of pattern repeat 1st and 2nd rows twice, then 1st row once.

**** Next row:** (Right side). Inc 1 st in 1st st. Pattern to 2 sts before marker. K2tog. Pattern to last 2 sts. K2tog.

Work 1 row even in pattern.

Next row: Inc 1 st in 1st st. Pattern to end of row.

Repeat last 2 rows 3 times.

Work 1 row even in pattern. **

Repeat from ** to ** twice. 35 sts on needle (M — 38 sts) (L — 41 sts).

Next row: Inc 1 st in 1st st. Pattern to 2 sts before marker. K2tog. Pattern to last 2 sts. K2tog.

Work 1 row even in pattern.

Next row: Inc 1 st in 1st st. Pattern to end of row. Place a marker at front edge.

Work 3 rows even, ending with right side facing for next row.

Next row: (Buttonhole row). Pattern across 4 sts. Cast off 2 sts. Pattern across 8 sts including st left on needle after cast off. Cast off 2 sts. Pattern to end of row.

Next row: Work even in pattern casting on 2 sts over cast off sts. Work 2 rows even in pattern.

***** Next row:** Work 2tog. Pattern to 1 st before marker. M1. Pattern to last st. Inc 1 st in last st.

Work 4 rows even in pattern.

Next row: Pattern to last 2 sts. Work 2tog.

Work 4 rows even in pattern. ***

Repeat from *** to *** 3 times.

Continue in pattern decreasing 1 st at front edge on next, then every following 5th row twice thus ending with **wrong** side facing for next row. 32 sts on needle (M — 35 sts) (L — 38 sts).

To shape armhole: Next row: Cast off 4 sts (armhole edge). Pattern to end of row.

Continue in pattern decreasing 1 st at armhole edge on next and following alternate row (*M* — 2 alternate rows) (*L* — 3 alternate rows) at same time, dec 1 st at front edge every following 5th row from previous decrease 9 times. 17 sts on needle (*M* — 19 sts) (*L* — 21 sts).

Continue even in pattern until work from cast off sts at armhole measures same length as back, ending with **wrong** side facing for next row.

To shape shoulder: Next row: Cast off 6 sts (*M* and *L* — 7 sts). Pattern to end of row.

Work 1 row even in pattern.

Next row: Cast off 6 sts (*M* — 6 sts) (*L* — 7 sts). Pattern to end of row.

Work 1 row even in pattern. Cast off remaining sts in pattern.

LEFT FRONT: With B cast on 23 sts (*M* — 26 sts) (*L* — 29 sts) and proceed as follows:

1st row: (Wrong side). (Front edge). Pattern to end of row (side edge).

2nd row: (Side edge). Pattern to last st. Inc 1 st in last st (front edge).

Place a marker 18 sts (*M* — 19 sts) (*L* — 20 sts) from side edge.

Work to correspond to right front reversing all shapings, omitting all reference to buttonholes and noting that increases and decreases at markers will be reversed as follows: Pattern to 2 sts before marker will be worked as pattern to marker and pattern to 1 st past marker will be worked as pattern to 1 st before marker.

FRONT SLEEVE CUFF: (Make 2). With B cast on 25 sts (*M* — 28 sts) (*L* — 31 sts) and proceed in pattern for 20 rows. Leave sts on a spare needle.

BACK SLEEVE CUFF: (Make 2). With B cast on 9 sts (*M* — 10 sts) (*L* — 11 sts) and work as given for front cuff.

RIGHT SLEEVE: With B and beginning on a 2nd row (right side) of pattern, pattern across sts from front cuff spare needle. Pattern across sts from back cuff spare needle. 34 sts on needle (*M* — 38 sts) (*L* — 42 sts).

****Place a marker between front and back cuffs.

Continue in pattern increasing 1 st each end of needle every following 9th row to 52 sts on needle (*M* — 58 sts) (*L* — 64 sts) taking increased sts into pattern.

Continue even in pattern until sleeve from beginning measures 13 ins (33 cm), (*M* — 14 ins) (36 cm), (*L* — 15 ins) (38 cm) ending with right side facing for next row.

To shape top: Cast off 4 sts beginning next 2 rows.

Keeping continuity of pattern, dec 1 st each end of needle on next, and following alternate row (*M* — 2 alternate rows) (*L* — 3 alternate rows), 40 sts on needle (*M* — 44 sts) (*L* — 48 sts). Work 15 rows even in pattern.

Dec 1 st each end of needle on next, then every alternate row to 14 sts on needle (*M* — 16 sts) (*L* — 18 sts). Cast off in pattern.****

LEFT SLEEVE: With B and beginning on a 2nd row (right side) pattern across sts from back cuff spare needle. Pattern across sts from front cuff spare needle. 34 sts on needle (*M* — 38 sts) (*L* — 42 sts).

Work from **** to **** as given for right sleeve.

Sew shoulder, side and sleeve seams reversing seam for cuff. Sew in sleeves.

RIGHT LAPEL: With A cast on 2 sts and proceed in pattern as follows:

1st row: (Wrong side). (Outer edge). Pattern to end of row (front edge).

2nd row: Pattern to last st. Inc 1 st in last st.

3rd row: Inc 1 st in 1st st. Pattern to end of row.

Repeat 2nd and 3rd rows twice, then 2nd row once.

Keeping continuity of pattern dec 1 st at front edge on next, then every following 5th row, at same time, inc 1 st at outer edge on next 15 rows, then following 6 alternate rows, then every following 4th row 4 times. 25 sts on needle.

Continue decreasing 1 st at front edge only every following 5th row from previous decrease to 14 sts on needle.

Continue even in pattern until front edge of lapel fits along front and back neck edges of right front from marker to centre back, ending on a 3rd or an 8th row of pattern. Cast off in pattern.

LEFT LAPEL: With A cast on 2 sts and proceed in pattern as follows:

1st row: (Wrong side). (Front edge). Pattern to end of row (outer edge).

2nd row: Inc 1 st in 1st st. Pattern to end of row.

Continue to correspond to right lapel reversing all shapings.

TO MAKE UP: Sew lapels in position. Sew centre back seam.

FRONT EDGINGS: With B, 4.50 mm crochet hook and right side of work facing, work 1 row sc along front edges between marker and lower cast on edge.

With right side of work facing, join A at right front marker. Working from left to right instead of from right to left as usual, work 1 row sc down left front edge, along bottom cast on edge and up right front edge to marker (Italian edge). **Do not break yarn.**

LAPEL EDGINGS: With A, 4.50 mm crochet hook and right side of work facing, work 1 row sc along outer edge of lapels from left front marker to right front marker. Work Italian edge along outer edge of lapels as given for front edging.

SLEEVE EDGINGS: With B, 4.50 mm crochet hook and right side of cuff facing, work 1 row sc along cuff edges between marker and cast on edge. With right side of work facing join A at marker and work Italian edge around cuff as given for front edgings. Sew buttons to correspond to buttonholes.

Do not press.

2. Sweet'n Sassy

(shown on pages 2 and 3)

SIZES AND MATERIALS:

	Small	
Bust measurement	30-32 ins (76- 81 cm)	
Finished bust	40 " (102 ")	
Length from top of shoulder (approx.)	28 " (71 ")	
Sleeve length	17½ " (45 ")	

Medium

	34-36 ins (86- 91 cm)
	44 " (112 ")
	29 " (74 ")
	18½ " (47 ")

Large

	38-40 ins (97-102 cm)
	48 " (122 ")
	30 " (76 ")
	19 " (48 ")

Patons Diana (50 g) or Patons Davina (50g)

Main colour	B	12 balls
Contrasting colour	A	3 "
Contrasting colour	C	1 "

13 balls

3 "
1 "

15 balls

3 "
1 "

Two 4½ mm (U.S. 7) and two 6 mm (U.S. 10) knitting needles. One 4½ mm (U.S. 7) and one 6 mm (U.S. 10) circular needle 75 cm long **or** **whichever needles you require to produce the tension given below.** 2 stitch holders. 5 buttons.

TENSION: 15 sts and 20 rows = 4 ins (10 cm) with 6 mm needles in stocking st.

The instructions are written for small size. Any changes necessary for medium size (M) and large size (L) are written in brackets thus: ().

Note: Body is worked in one piece to armholes.

POCKET LINING: (Make 2). With B and 6 mm needles cast on 18 sts and work 24 rows stocking st, ending with right side facing for next row. Leave these sts on a spare needle.

BODY: With B and 4½ mm circular needle cast on 147 sts (M — 163 sts) (L — 177 sts). **Do not join.**

Working back and forth across needle proceed as follows

1st row: (Right side). K1. *P1. K1. Repeat from * to end of row.

2nd row: P1. *K1. P1. Repeat from * to end of row.

Repeat these 2 rows (K1. P1) ribbing for 2½ ins (6 cm) ending on a 2nd row.

Note: The coloured design is worked by carrying yarn not in use loosely across back (wrong side) of work but never over more than 3 sts. When it must pass over more than 3 sts, weave it over and under colour in use on next st or at centre of sts it passes over. When changing colour in order to prevent a hole, pass colour to be used underneath and around to right of colour just used.

Change to 6 mm circular needle and work chart I in stocking st to end of row 24 reading **knit** rows from **right** to left and **purl** rows from **left** to right. (Chart I shown on pages 12 and 13).

Next row: K9 (M — K11) (L — K13). *Slip next 18 sts onto a st holder. Knit across 18 sts from spare needle from pocket lining *. K93 (M — K105) (L — K115). Repeat from * to * once. Knit to end of row.

Continue working chart I in stocking st to row 70.

Next row: K2tog. Pattern across 31 sts (M — 35 sts) (L — 39 sts) (right front). **Turn.** Leave remaining sts on a spare needle. Work chart I to end of chart.

With right side of work facing, join yarn to remaining sts. Pattern across 77 sts (M — 85 sts) (L — 91 sts) (back). **Turn.** Leave remaining sts on a spare needle.

Work chart I to end of chart.

With right side of work facing, join yarn to remaining sts. Pattern

to last 2 sts. K2tog (left front).

Work chart I to end of chart.

SLEEVES: With B and 4½ mm needles cast on 35 sts (M — 37 sts) (L — 39 sts) and work 2½ ins (6 cm) in (K1. P1) ribbing as given for body, ending on a 2nd row and increasing 10 sts (M — 12 sts) (L — 14 sts) evenly across last row. 45 sts on needle (M — 49 sts) (L — 53 sts).

Change to 6 mm needles and proceed in stocking st increasing 1 st each end of needle every 5th row (M — 5th row) (L — 4th row) 12 times (M — 13 times) (L — 15 times). 69 sts on needle (M — 75 sts) (L — 83 sts).

Work 2 rows (M — 1 row) (L — 8 rows) even in stocking st.

Work chart II in stocking st to end of chart reading **knit** rows from **right** to left and **purl** rows from left to right.

TO MAKE UP: Sew shoulder seams to markers. Sew sleeve seams matching pattern. Sew in sleeves.

COLLAR: With B and 4½ mm circular needle cast on 319 sts (M — 327 sts) (L — 335 sts). **Do not join.**

Working back and forth across needle work 7 rows (K1. P1) ribbing as given for body.

Next row: Rib across 5 sts. *Yfwd. K2tog (buttonhole made). Rib across 18 sts. Repeat from * 3 times. Yfwd. K2tog. Rib to end of row.

Work 5 rows ribbing.

Proceed as follows: Cast off 86 sts beginning next 2 rows.

Cast off 4 sts beginning next 34 rows (M — 36 rows) (L — 38 rows).

Cast off remaining 11 sts.

Sew cast off edge of collar around neck edge. Sew buttons to correspond to buttonholes.

POCKET BANDS: With right side of work facing and 4½ mm needles, knit across sts from st holder increasing 5 sts evenly across row. 23 sts on needle.

Work 1½ ins (4 cm) in (K1. P1) ribbing as given for body beginning and ending on a 2nd row. Cast off in ribbing. Sew pocket bands in position on right side and pocket linings on wrong side. **Do not press.**

3. Stylish Simplicity

(shown on page 4)

SIZES AND MATERIALS:

	Small	
Bust measurement	30-32 ins (76- 81 cm)	
Finished bust	42 " (107 ")	
Length from top of shoulder	31 " (79 ")	
Sleeve length (excluding cuff)	16½ " (42 ")	

Medium

34-36 ins (86- 91 cm)	
46 " (117 ")	
32 " (81 ")	
17 " (43 ")	

Large

38-40 ins (97-102 cm)	
50 " (127 ")	
33 " (84 ")	
17½ " (45 ")	

Beehive Shetland Chunky (50 g)

24 balls

25 balls

27 balls

Two 4½ mm (U.S. 7) and two 6½ mm (U.S. 10½) knitting needles. One 4½ mm (U.S. 7) circular needle 75 cm long **or whichever needles you require to produce the tension given below.** 6 buttons.

TENSION: 20 sts and 17 rows = 4 ins (10 cm) with 6½ mm needles in pattern.

SPECIAL ABBREVIATION:

ST3 = P3tog but do not slip off needle. Yrn, then P3tog again.

The instructions are written for small size. Any changes necessary for medium size (M) and large size (L) are written in brackets thus: ().

BACK: With 4½ mm needles cast on 82 sts (M — 90 sts) (L — 98 sts).

1st row: (Right side). K2. *P2. K2. Repeat from * to end of row.

2nd row: P2. *K2. P2. Repeat from * to end of row.

Repeat these 2 rows (K2. P2) ribbing for 3 ins (8 cm) ending with right side facing for next row and increasing 23 sts (M — 23 sts) (L — 27 sts) evenly across last row. 105 sts on needle (M — 113 sts) (L — 125 sts).

Change to 6½ mm needles and proceed in pattern as follows:

1st row: (Right side). Knit.

2nd row: P1. *ST3. P1. Repeat from * to end of row.

3rd row: Knit.

4th row: P2. *P1. ST3. Repeat from * to last 3 sts. P3.

These 4 rows complete one pattern.

Continue in pattern until work from beginning measures 22 ins (56 cm) ending with right side facing for next row.

To shape armholes: Cast off 8 sts beginning next 2 rows. 89 sts on needle (M — 97 sts) (L — 109 sts).

Continue even in pattern until work from beginning measures 29 ins (74 cm), (M — 30 ins) (76 cm), (L — 31 ins) (79 cm) ending with right side facing for next row.

Next row: Pattern across 32 sts (M — 36 sts) (L — 42 sts) (neck edge). **Turn.** Leave remaining sts on a spare needle.

Keeping continuity of pattern dec 1 st at neck edge on next and following 3 rows (M — 3 rows) (L — 5 rows). 28 sts on needle (M — 32 sts) (L — 36 sts).

Continue even in pattern until work from beginning measures 31 ins (79 cm), (M — 32 ins) (81 cm), (L — 33 ins) (84 cm) ending with right side facing for next row. Cast off.

With right side of work facing, join yarn to remaining sts. Cast off 25 sts. Pattern to end of row.

Work to correspond to other side reversing all shapings.

LEFT FRONT: With 4½ mm needles cast on 30 sts (M — 34 sts) (L — 38 sts) and work 3 ins (8 cm) in (K2. P2) ribbing as given for back, ending with right side facing for next row and increasing 11 sts evenly across last row. 41 sts on needle (M — 45 sts) (L — 49 sts).

Change to 6½ mm needles and proceed in pattern as given for back until work from beginning measures 22 ins (56 cm) ending with right side facing for next row.

To shape armholes and neck: **Next row:** Cast off 8 sts. Pattern to last 2 sts. Work 2tog (neck edge).

Keeping armhole edge even, dec 1 st at neck edge every following 6th row to 28 sts on needle (M — 32 sts) (L — 36 sts).

Continue even in pattern until work from beginning measures the same length as back to shoulder, ending with right side facing for next row. Cast off.

RIGHT FRONT: Work as given for left front reversing all shapings.

SLEEVES: With 4½ mm needles cast on 46 sts (M — 50 sts) (L — 54 sts) and work 6 ins (15 cm) in (K2. P2) ribbing as given for back ending with right side facing for next row and increasing 15 sts evenly across last row. 61 sts on needle (M — 65 sts) (L — 69 sts).

Change to 6½ mm needles and proceed in pattern as given for back increasing 1 st each end of needle every 3rd row to 91 sts on needle (M — 101 sts) (L — 109 sts) taking increased sts into pattern.

Continue even in pattern until sleeve from beginning measures 21 ins (53 cm), (M — 21½ ins) (55 cm), (L — 22 ins) (56 cm) ending with right side facing for next row. Cast off. Place markers on side edges 1½ ins (4 cm) down from cast off edge.

COLLAR: With 4½ mm circular needle cast on 386 sts (M — 394 sts) (L — 402 sts) and work 2 ins (5 cm) in (K2. P2) ribbing as given for back, ending on a 1st row.

**** Next row:** Rib across 4 sts. Cast off 2 sts (buttonhole). *Rib across 34 sts. Cast off 2 sts. Repeat from * once. Rib to end of row.

Next row: Rib casting on 2 sts over cast off sts. **

Continue in ribbing until collar from beginning measures 3½ ins (9 cm) ending on a 1st row.

Repeat from ** to ** once.


Continue in ribbing until collar from beginning measures 5 ins (13 cm) ending on a 2nd row.

Cast off 94 sts beginning next 2 rows. Cast off 10 sts beginning next 18 rows. Cast off remaining 18 sts (M — 26 sts) (L — 34 sts).


POCKET LINING: (Make 4). With 6½ mm needles cast on 19 sts. Work 7 ins (18 cm) in stocking st. Cast off (top edge).

TO MAKE UP: Sew shoulder seams. Sew in sleeves placing rows above markers along armhole cast off edges. Place markers 6 ins (15 cm) and 12 ins (31 cm) up from bottom edge on front and back side edges. Place top of pocket lining at 12 inch (31 cm) marker and sew along side edges to 6 inch (15 cm) markers. (Approx 1 inch (2.5 cm) of lower pocket will remain unsewn). Sew side and sleeve seams sewing around unsewn pocket and reversing sleeve cuff seam for turnback. Sew cast off edge of neckband in position along front and back neck edges. Sew buttons to correspond to buttonholes. Fold cuffs as illustrated. **Do not press.**

SWEET' N SASSY CHART I



SWEET' N SASSY CHART II



Continue reading rows on next page.

Note: When working from Chart I, read across both pages to complete each row.

KEY

- ☐ = Main Colour B
☒ = Contrasting Colour A
☒ = Contrasting Colour C

4. Naughty But Nice

(shown on page 5)

SIZES AND MATERIALS:

Bust measurement
Finished bust
Length from top of shoulder
Sleeve length

Small
30-32 ins (76- 81 cm)
43 " (109 ")
32 " (81 ")
15 " (38 ")

Medium
34-36 ins (86- 91 cm)
47 " (119 ")
33 " (84 ")
16 " (41 ")

Large
38-40 ins (97-102 cm)
52 " (132 ")
34 " (86 ")
17 " (43 ")

Beehive Shetland Chunky (50 g)

18 balls

21 balls

24 balls

Two 4½ mm (U.S. 7) and two 5½ mm (U.S. 9) knitting needles. One 4½ mm (U.S. 7) and one 5½ mm (U.S. 9) circular needle 75 cm long **or** whichever needles you require to produce the tension given below. 5 buttons.

TENSION: 17 sts and 21 rows = 4 ins (10 cm) with 5½ mm needles in pattern.

The instructions are written for small size. Any changes necessary for medium size (M) and large size (L) are written in brackets thus: ().

Note: Body is worked in one piece to armholes.

BODY: With 4½ mm circular needle cast on 169 sts (M — 187 sts) (L — 205 sts). **Do not join.** Working back and forth across needle, proceed as follows:

1st row: (Right side). K1. *P1. K1. Repeat from * to end of row.

2nd row: P1. *K1. P1. Repeat from * to end of row.

Repeat these 2 rows (K1. P1) ribbing for 2½ ins (6 cm) ending on a 2nd row and increasing 11 sts evenly across last row. 180 sts on needle (M — 198 sts) (L — 216 sts).

Change to 5½ mm circular needle and proceed in pattern as follows:

1st row: (Right side). *K6. (P1. K1)3 times. P6. Repeat from * to end of row.

2nd and alternate rows: Knit all knit sts and purl all purl sts as they appear.

3rd row: *K5. (P1. K1)4 times. P5. Repeat from * to end of row.

5th row: *K4. (P1. K1)5 times. P4. Repeat from * to end of row.

7th row: *K3. (P1. K1)twice. P2. K2. (P1. K1)twice. P3. Repeat from * to end of row.

9th row: *K2. (P1. K1)twice. P3. K3. (P1. K1)twice. P2. Repeat from * to end of row.

11th row: *K1. (P1. K1)twice. P4. K4. (P1. K1)twice. P1. Repeat from * to end of row.

13th row: * (P1. K1)twice. P5. K5. (P1. K1)twice. Repeat from * to end of row.

15th row: *K1. P1. K1. P6. K6. P1. K1. P1. Repeat from * to end of row.

17th row: *P1. K1. P1. K6 P6. K1. P1. K1. Repeat from * to end of row.

19th row: * (K1. P1)twice. K5. P5. (K1. P1)twice. Repeat from * to end of row.

21st row: *P1. (K1. P1)twice. K4. P4. (K1. P1)twice. K1. Repeat from * to end of row.

23rd row: *P2. (K1. P1)twice. K3. P3. (K1. P1)twice. K2. Repeat from * to end of row.

25th row: *P3. (K1. P1)twice. K2. P2. (K1. P1)twice. K3. Repeat from * to end of row.

27th row: *P4. (K1. P1)5 times. K4. Repeat from * to end of row.

29th row: *P5. (K1. P1)4 times. K5. Repeat from * to end of row.

31st row: *P6. (K1. P1)3 times. K6. Repeat from * to end of row.

32nd row: As 2nd row.

These 32 rows complete one pattern.

Continue in pattern until work from beginning measures 22 ins (56 cm) ending with right side facing for next row.

To shape front edges: Keeping continuity of pattern, dec 1 st

each end of needle on next, then every alternate row 3 times. Work 1 row even in pattern.

Next row: Work 2tog. Pattern across 36 sts (M — 42 sts) (L — 48 sts) (right front). **Turn.** Leave remaining sts on a spare needle. Work 1 row even in pattern.

Keeping continuity of pattern dec 1 st at front edge as before on next, then every alternate row to 15 sts on needle (M — 18 sts) (L — 21 sts).

Work 1 row even in pattern. Cast off.

With right side of work facing, join yarn to sts on spare needle. Pattern across 96 sts (M — 102 sts) (L — 108 sts) (back). **Turn.** Leave remaining sts on a spare needle.

Continue even in pattern until work from beginning measures same length as right front, ending on same row of pattern. Cast off. Place markers for back neck 33 sts (M — 36 sts) (L — 39 sts) in from side edges along cast off row.

With right side of work facing, join yarn to remaining sts. Pattern to last 2 sts. Work 2tog (left front).

Work to correspond to right front reversing all shapings.

SLEEVES: With 4½ mm needles cast on 33 sts (M — 35 sts) (L — 37 sts) and work 2½ ins (6 cm) in (K1. P1) ribbing as given for body, ending on a 2nd row and increasing 21 sts (M — 19 sts) (L — 17 sts) evenly across last row. 54 sts on needle.

Change to 5½ mm needles and proceed in pattern as given for body increasing 1 st each end of needle on 5th row (M — 5th row) (L — 3rd row) then every following 5th row (M — 4th row) (L — 3rd row) to 76 sts on needle (M — 86 sts) (L — 94 sts) taking increased sts into pattern.

Continue even in pattern until work from beginning measures 15 ins (38 cm), (M — 16 ins) (41 cm), (L — 17 ins) (43 cm) ending with right side facing for next row. Cast off.

LEFT FRONT PANEL: With 4½ mm needles cast on 2 sts and work 2 rows (K1. P1) ribbing as given for body.

Inc 1 st beginning next, then every alternate row to 26 sts on needle (M — 29 sts) (L — 32 sts).

Work 1 row even in ribbing.

Cast off 18 sts (M — 18 sts) (L — 20 sts). Rib to end of row. Leave these sts on a spare needle.

RIGHT FRONT PANEL: With 4½ mm needles cast on 2 sts and work 2 rows (K1. P1) ribbing as given for body.

Next row: Rib to last st. Inc 1 st in last st.

Work to correspond to left front panel reversing all shapings.

TO MAKE UP: Sew front panel edges to body front edges beginning at 1st decrease. Sew shoulder seams to back neck markers.

BUTTON BAND: With 4½ mm needles cast on 9 sts.

1st row: K2. (P1. K1)3 times. K1.

2nd row: (K1. P1)4 times. K1.

Repeat these 2 rows until band, when slightly stretched, fits up left front to top of front panel. Do not cast off. Leave these sts on a safety pin.

Sew band in position and on this band mark positions for 5 buttons, evenly spaced, having top button at 1st front decrease and bottom button 1 inch (2.5 cm) from bottom edge.

BUTTONHOLE BAND: Work as given for button band working buttonholes to correspond to button positions as follows: (Right

side). K2. P1. K1. Yfwd. K2tog. Rib to end of row.

COLLAR: With right side of work facing and 4½ mm needles, rib across 9 sts (*M — 7 sts. P2tog*) (*L — 9 sts*) from buttonhole band. Rib across sts from spare needle for right front panel. Pick up and knit 35 sts across back neck edge. Rib across sts from spare needle for left front panel. Rib across 9 sts (*M — 7 sts. P2tog*) (*L — 9 sts*). 69 sts on needle (*M — 73 sts*) (*L — 77 sts*).

Continue in ribbing until collar from beginning measures 4 ins (10 cm) ending with right side facing for next row. Cast off in ribbing. Sew side and sleeve seams matching pattern. Sew buttons to correspond to buttonholes. **Do not press.**

**Patons Canadiana, Patons Super Wool and Beehive Shetland Light
Quantity Conversion Chart**

If your pattern recommends this amount of
Patons Canadiana or Patons Super Wool:

purchase this amount of
Beehive Shetland Light:

1 to 4 balls
5 to 9 "
10 to 14 "
15 to 19 "
20 to 28 "
29 to 33 "
34 to 39 "

the same amount
1 ball less
2 balls less
3 balls less
4 balls less
5 balls less
6 balls less

KNITTING NEEDLE SUGGESTED EQUIVALENT CHART

Canadian & U.K. Sizes	000	00	0	1	2	3	4	5	6	7	8	9	-	10	11	12	13	14	15
Metric Sizes	10	9	8	7½	7	6½	6	5½	5	4½	4	3½	3¼	3¼	3	2½	2¼	2	1½
U.S. Sizes	15	13	11	-	-	10½	10	9	8	7	6	5	4	3	-	2	1	0	-

5. On the Shore

(shown on page 6)

SIZES AND MATERIALS:

	Small	Medium	Large	Extra Large
Bust measurement	30-32 ins (76- 81 cm)	34-36 ins (86- 91 cm)	38-40 ins (97-102 cm)	42-44 ins (107-112 cm)
Finished bust	42 " (107 ")	46 " (117 ")	50 " (127 ")	54 " (137 ")
Length from top of shoulder	26 " (66 ")	27 " (69 ")	28 " (71 ")	29 " (74 ")
Sleeve length (excluding cuff)	18 " (46 ")	18½ " (47 ")	19 " (48 ")	19½ " (50 ")

Beehive Shetland Chunky (50 g) 22 balls

23 balls

24 balls

26 balls

Two 4½ mm (U.S. 7), two 5 mm (U.S. 8) and two 6 mm (U.S. 10) knitting needles **or whichever needles you require to produce the tension given below.** One cable needle or one double pointed needle. 2 stitch holders. 4 buttons.

TENSION: 19 sts and 20 rows = 4 ins (10 cm) with 6 mm needles in cable pattern.

SPECIAL ABBREVIATIONS:

K1B = Knit into centre of next st, 1 row below, at same time slipping off st above.

C4B = Slip next 2 sts onto a cable needle and leave at back of work. K2, then K2 from cable needle.

The instructions are written for small size. Any changes necessary for medium size (M), large size (L) and extra large size (XL) are written in brackets thus: ().

BACK: With 4½ mm needles cast on 75 sts (M — 83 sts) (L — 91 sts) (XL — 99 sts).

1st row: (Right side). K1. *P1. K1. Repeat from * to end of row.

2nd row: P1. *K1. P1. Repeat from * to end of row.

Repeat these 2 rows (K1. P1) ribbing for 3 ins (8 cm) ending with right side facing for next row and increasing 25 sts (M and L — 27 sts) (XL — 29 sts) evenly across last row. 100 sts on needle (M — 110 sts) (L — 118 sts) (XL — 128 sts).

Change to 6 mm needles and proceed in cable pattern as follows:

1st row: (Right side). P1 (M — P1) (L and XL — P0). K1 (M — K4. P1. K1) (L — K1. P1. K1) (XL — K0). *K1. P1. K4. P1. K1. Repeat from * to last 2 sts (M — last 7 sts) (L — last 3 sts) (XL — end of row). K1 (M — K1. P1. K4. P1) (L — K1. P1. K1) (XL — K0). P1 (M, L and XL — P0).

2nd and alternate rows: Knit all knit sts and purl all purl sts as they appear.

3rd row: P1 (M — P1) (L and XL — P0). K1 (M — C4B. P1. K1) (L — K1. P4. C4B. P1. K1) (XL — K0). *K1. P1. C4B. P4. C4B. P1. K1. Repeat from * to last 2 sts (M — last 7 sts) (L — last 11 sts) (XL — end of row). K1 (M — K1. P1. C4B. P1) (L — K1. P1. C4B. P4. K1) (XL — K0). P1 (M, L and XL — P0).

5th row: As 1st row.

7th row: As 3rd row.

9th row: As 1st row.

11th row: P2 (M — P1. C4B. P2) (L — K1. P1. K2. P1. C4B. P2) (XL — P0). *P2. C4B. P1. K2. P1. C4B. P2. Repeat from * to last 2 sts (M — last 7 sts) (L — last 11 sts) (XL — end of row). P2 (M — P2. C4B. P1) (L — P2. C4B. P1. K2. P1. K1) (XL — K0).

13th row: As 1st row.

15th row: As 11th row.

16th row: As 2nd row.

These 16 rows complete one cable pattern.

Continue in cable pattern until back from beginning measures approx 17½ ins (44 cm), (M — 18 ins) (46 cm), (L — 18½ ins) (47 cm), (XL — 19 ins) (48 cm) ending on a 1st or 9th row of pattern.

Next row: (Decrease row). K1 (M and L — K2) (XL — K3). *K2tog. K2. Repeat from * to last 3 sts (M and L — end of row) (XL — last st). (K2tog) once (M, L and XL — 0 times). K1 (M and L — K0) (XL — K1). 75 sts on needle (M — 83 sts) (L — 89 sts) (XL — 97 sts).

Change to 5 mm needles and proceed in rib pattern as follows:

1st row: P1 (M — P1) (L and XL — P0). *K1B. P1. Repeat from * to end of row (M — end of row) (L and XL — last st. K1B).

2nd row: Knit.

These 2 rows complete one rib pattern.

Continue in rib pattern until back from decrease row measures 7½ ins (19 cm), (M — 8 ins) (20 cm), (L — 8½ ins) (22 cm), (XL — 9 ins) (23 cm) ending with right side facing for next row.

To shape neck: Next row: Pattern across 29 sts (M — 32 sts) (L — 35 sts) (XL — 38 sts). Cast off in pattern next 17 sts (M and L — 19 sts) (XL — 21 sts). Pattern to end of row.

Next row: Pattern across 27 sts (M — 30 sts) (L — 33 sts) (XL — 36 sts). Work 2tog (neck edge). **Turn.** Leave remaining sts on a spare needle.

Continue in pattern decreasing 1 st at neck edge on next 2 rows. 26 sts on needle (M — 29 sts) (L — 32 sts) (XL — 35 sts).

Work 2 rows even in pattern. Cast off in pattern.

With **wrong** side of work facing, join yarn to sts on spare needle. Work 2tog. Pattern to end of row.

Work to correspond to other side reversing all shapings.

POCKET LININGS: (Make 2). With 6 mm needles cast on 20 sts and work 4 ins (10 cm) in stocking st, ending with right side facing for next row and increasing 6 sts evenly across last row. 26 sts on needle.

LEFT FRONT: **With 4½ mm needles cast on 37 sts (M — 41 sts) (L — 45 sts) (XL — 49 sts) and work 3 ins (8 cm) in (K1. P1) ribbing as given for back, ending with right side facing for next row and increasing 8 sts (M and L — 9 sts) (XL — 10 sts) evenly across last row. 45 sts on needle (M — 50 sts) (L — 54 sts) (XL — 59 sts).

Change to 6 mm needles and proceed in cable pattern as follows:**

1st row: (Right side). P1 (M — P1) (L and XL — P0). K1 (M — K4. P1. K1) (L — K1. P1. K1) (XL — K0). *K1. P1. K4. P1. K1. Repeat from * to last 3 sts. K1. P1. K1.

2nd and alternate rows: Knit all knit sts and purl all purl sts as they appear.

3rd row: P1 (M — P1) (L and XL — P0). K1 (M — C4B. P1. K1) (L — K1. P4. C4B. P1. K1) (XL — K0). *K1. P1. C4B. P4. C4B. P1. K1. Repeat from * to last 11 sts. K1. P1. C4B. P4. K1.

5th row: As 1st row.

7th row: As 3rd row.

9th row: As 1st row.

11th row: P2 (M — P1. C4B. P2) (L — K1. P1. K2. P1. C4B. P2) (XL — P0). *P2. C4B. P1. K2. P1. C4B. P2. Repeat from * to last 11 sts. P2. C4B. P1. K2. P1. K1.

13th row: As 1st row.

15th row: As 11th row.

16th row: As 2nd row.

These 16 rows complete one cable pattern.

Continue in cable pattern until front from beginning measures 7 ins (18 cm) ending with right side facing for next row.

To place pocket: Next row: Pattern across 9 sts (*M* — 14 sts) (*L* — 18 sts) (*XL* — 23 sts). Slip next 26 sts onto a st holder for pocket opening. Pattern across 26 sts from pocket lining. Pattern to end of row.

Continue in cable pattern until front from beginning measures approx 17½ ins (44 cm), (*M* — 18 ins)(46 cm), (*L* — 18½ ins)(47 cm), (*XL* — 19 ins)(48 cm) ending on a 1st or 9th row of pattern.

Next row: (Decrease row). K1 (*M* and *L* — K2) (*XL* — K3). *K2tog. K2. Repeat from * to end of row. 34 sts on needle (*M* — 38 sts) (*L* — 41 sts) (*XL* — 45 sts).

Change to 5 mm needles and proceed in rib pattern as follows:

1st row: P1 (*M* — P1) (*L* and *XL* — P0). *K1B. P1. Repeat from * to last st. K1B.

2nd row: Knit.

These 2 rows complete one rib pattern.

To shape front: Next row: Rib to last 2 sts. Work 2tog (front edge).

Dec 1 st at front edge on next, then every following 4th row 6 times (*M* and *L* — 7 times) (*XL* — 8 times). 26 sts on needle (*M* — 29 sts) (*L* — 32 sts) (*XL* — 35 sts).

Continue even in rib pattern until front from beginning measures same length as back, ending with right side facing for next row. Cast off in pattern.

RIGHT FRONT: Work from ** to ** as given for left front.

1st row: (Right side). K1. P1. K1. *K1. P1. K4. P1. K1. Repeat from * to last 2 sts (*M* — last 7 sts) (*L* — last 3 sts) (*XL* — end of row). K1 (*M* — K1. P1. K4. P1) (*L* — K1. P1. K1) (*XL* — K0). P1 (*M*, *L* and *XL* — P0).

2nd and alternate rows: Knit all knit sts and purl all purl sts as they appear.

3rd row: K1. P4. C4B. P1. K1. *K1. P1. C4B. P4. C4B. P1. K1. Repeat from * to last 2 sts (*M* — last 7 sts) (*L* — last 11 sts) (*XL* — end of row). K1 (*M* — K1. P1. C4B. P1) (*L* — K1. P1. C4B. P4. K1) (*XL* — K0). P1 (*M*, *L* and *XL* — P0).

5th row: As 1st row.

7th row: As 3rd row.

9th row: As 1st row.

11th row: K1. P1. K2. P1. C4B. P2. *P2. C4B. P1. K2. P1. C4B. P2. Repeat from * to last 2 sts (*M* — last 7 sts) (*L* — last 11 sts) (*XL* — end of row). P2 (*M* — P2. C4B. P1) (*L* — P2. C4B. P1. K2. P1. K1) (*XL* — K0).

13th row: As 1st row.

15th row: As 11th row.

16th row: As 2nd row.

These 16 rows complete one cable pattern.

Continue in cable pattern until front from beginning measures 7 ins (18 cm) ending with right side facing for next row.

To place pocket: Next row: Pattern across 10 sts. Slip next 26 sts onto a st holder for pocket opening. Pattern across 26 sts from pocket lining. Pattern to end of row.

Continue in cable pattern until front from beginning measures approx 17½ ins (44 cm), (*M* — 18 ins)(46 cm), (*L* — 18½ ins)(47 cm), (*XL* — 19 ins)(48 cm) ending on a 1st or 9th row of pattern.

Next row: (Decrease row). *K2. K2tog. Repeat from * to last st (*M* and *L* — last 2 sts) (*XL* — last 3 sts). K1 (*M* and *L* — K2) (*XL* — K3). 34 sts on needle (*M* — 38 sts) (*L* — 41 sts) (*XL* — 45 sts).

Change to 5 mm needles and proceed in rib pattern as follows:

1st row: *K1B. P1. Repeat from * to end of row (*M* — end of row) (*L* and *XL* — last st. K1B).

2nd row: Knit.

These 2 rows complete one rib pattern.

To shape front: Next row: Work 2tog. Pattern to end of row. Work to correspond to other side reversing all shapings.

SLEEVES: With 4½ mm needles cast on 35 sts (*M* — 37 sts) (*L* — 39 sts) (*XL* — 41 sts) and work 5 ins (12 cm) in (K1. P1) ribbing as given for back, ending with **wrong** side facing for next row and increasing 8 sts (*M* — 10 sts) (*L* — 12 sts) (*XL* — 14 sts) evenly across last row. 43 sts on needle (*M* — 47 sts) (*L* — 51 sts) (*XL* — 55 sts).

Change to 5 mm needles and proceed in rib pattern as follows:

1st row: (Wrong side). Knit.

2nd row: P1. *K1B. P1. Repeat from * to end of row.

These 2 rows complete one rib pattern.

Continue in rib pattern increasing 1 st each end of needle on next, then every following 6th row to 63 sts on needle (*M* — 71 sts) (*L* — 79 sts) (*XL* — 85 sts) taking increased sts into rib pattern.

Continue even in pattern until sleeve from beginning measures 20½ ins (52 cm), (*M* — 21 ins)(53 cm), (*L* — 21½ ins)(55 cm), (*XL* — 22 ins)(56 cm) ending with right side facing for next row. Cast off in pattern.

COLLAR AND FRONT BANDS: Sew shoulder seams.

Button band: With 4½ mm needles cast on 13 sts and proceed in (K1. P1) ribbing until work from beginning measures 14½ ins (37 cm), (*M* — 15 ins)(38 cm), (*L* — 15½ ins)(40 cm) (*XL* — 16 ins)(41 cm) ending with right side facing for next row. Mark positions for 4 buttons, having top button at top of work, bottom button ½ inch (1 cm) from lower edge and remaining buttons spaced evenly between.

To shape collar: Next row: Rib to last st. Inc 1 st in last st (collar neck edge).

Continue in ribbing increasing 1 st at collar neck edge **every** row to 51 sts on needle.

Work even in ribbing until collar from first increase measures 18 ins (45 cm), (*M* — 19 ins)(48 cm), (*L* — 20 ins)(51 cm), (*XL* — 21 ins)(53 cm).

Continue in ribbing decreasing 1 st at collar neck edge **every** row to 13 sts on needle.

Buttonhole band: Continue even in ribbing until buttonhole band measures same length as button band working buttonholes to correspond to button positions as follows: Rib across 6 sts. Yfwd. Work 2tog. Rib to end of row.

Sew bands and collar in position along fronts and back neck edges.

POCKET BANDS: With 4½ mm needles and right side of work facing, knit across 26 sts from pocket st holder decreasing 1 st in centre. Beginning on a 2nd row work 1¼ ins (3 cm) in (K1. P1) ribbing as given for back. Cast off in ribbing.

TO MAKE UP: Place markers along side edges 9 ins (23 cm), (*M* — 10 ins)(25 cm), (*L* — 11 ins)(28 cm), (*XL* — 12 ins)(31 cm) down from shoulder seams. Sew in sleeves between markers. Sew side and sleeve seams reversing sleeve seam for turn back cuff. Sew buttons to correspond to buttonholes. Sew pocket linings in position on wrong side and edges of pocket bands on right side. **Do not press.**

6. Sophisticated Sampler

(shown on page 35)

SIZES AND MATERIALS:

Bust measurement

Finished bust

Length from top of shoulder (approx.)

Sleeve length (approx.)

Small

30-32 ins (76- 81 cm)

42 " (107 ")

30 " (76 ")

17 " (43 ")

Medium

34-36 ins (86- 91 cm)

46 " (117 ")

31½ " (80 ")

17½ " (45 ")

Large

38-40 ins (97-102 cm)

50 " (127 ")

33½ " (85 ")

18½ " (47 ")

Patons Aran Style (50 g)

22 balls

24 balls

26 balls

Two 3¾ mm (U.S. 5) and two 4½ mm (U.S. 7) knitting needles or whichever needles you require to produce the tension given below. 5 buttons.

TENSION: 19 sts and 25 rows = 4 ins (10 cm) with 4½ mm needles in stocking st.

The instructions are written for small size. Any changes necessary for medium size (M) and large size (L) are written in brackets thus: ().

BACK: With 3¾ mm needles cast on 101 sts (M — 109 sts) (L — 117 sts).

Work 5 rows garter st (knit every row) noting that 1st row is wrong side.

Change to 4½ mm needles and work chart III to end of chart reading **right** side rows from **right** to left and **wrong** side rows from **left** to right, noting back neck shaping. (Chart III shown on pages 20 and 21).

POCKET LINING: (Make 2). With 4½ mm needles cast on 26 sts and work 5½ ins (14 cm) in stocking st, ending with **wrong** side facing for next row. Do not break yarn. Leave these sts on a spare needle.

LEFT FRONT: **With 3¾ mm needles cast on 48 sts (M — 52 sts) (L — 56 sts).

Work 5 rows garter st noting that 1st row is wrong side.

Change to 4½ mm needles and work chart III to row 67 of chart reading **right** side rows from **right** to left and **wrong** side rows from **left** to right.**

To place pocket: Row 68 of chart: (Wrong side). Working from chart, pattern across 14 sts (M — 16 sts) (L — 18 sts). Cast off next 26 sts knitways. Break yarn. With yarn on sts from 1st pocket lining, purl across 26 sts of 1st pocket lining. Work chart III to end of row.

Continue working chart III to end of chart as before, noting left front neck shaping.

RIGHT FRONT: Work from ** to ** as given for left front.

To place pocket: Row 68 of chart: (Wrong side). Working from chart, pattern across 8 sts (M — 10 sts) (L — 12 sts). Cast off next 26 sts knitways. Break yarn. With yarn on sts from 2nd pocket lining, purl across 26 sts of 2nd pocket lining. Work chart III to end of row.

Continue working chart III to end of chart as before, noting right front neck shaping.

SLEEVES: With 3¾ mm needles cast on 43 sts (M — 47 sts) (L — 51 sts).

1st row: (Right side). K1. *P1. K1. Repeat from * to end of row.

2nd row: P1. *K1. P1. Repeat from * to end of row.

Repeat these 2 rows (K1. P1) ribbing for 7 ins (18 cm) ending with right side facing for next row and increasing 26 sts evenly across last row. 69 sts on needle (M — 73 sts) (L — 77 sts).

Change to 4½ mm needles and work chart IV to end of chart reading **right** side rows from **right** to left and **wrong** side rows from **left** to right, noting that increases are made each end of needle on every 4th row of chart for all sizes.

BUTTON BAND: With 3¾ mm needles cast on 9 sts.

1st row: K2. (P1. K1)3 times. K1.

2nd row: (K1. P1)4 times. K1.

Repeat these 2 rows (K1. P1) ribbing until band, when slightly stretched, fits up left front edge to neck shaping, ending with right side facing for next row. Leave sts on a safety pin. Sew in position and on this band mark positions for 5 buttons, evenly spaced, having 1st button ½ inch (1 cm) down from neck edge and last button 6 ins (15 cm) above lower edge.

BUTTONHOLE BAND: Work as given for button band working buttonholes to correspond to button positions as follows: (Right side). Rib across 3 sts. Cast off 2 sts. Rib to end of row.

Next row: Rib casting on 2 sts over cast off sts.

COLLAR: Sew shoulder seams. With right side of work facing and 3¾ mm needles, K2. (P1. K1)3 times. P1 (9 sts from buttonhole band). Pick up and knit 29 sts (M — 29 sts) (L — 33 sts) up right front neck edge, 7 sts down right back neck edge, 29 sts (M — 29 sts) (L — 31 sts) across centre back neck edge, 7 sts up left back neck edge and 29 sts (M — 29 sts) (L — 33 sts) down left front neck edge. (P1. K1)4 times. K1 (9 sts from button band). 119 sts on needle (M — 119 sts) (L — 129 sts).


1st row: (Wrong side). *K1. P1. Repeat from * to last st. K1.

2nd row: K2. *P1. K1. Repeat from * to last st. K1.

Repeat these 2 rows until collar from beginning measures 7 ins (18 cm) ending with right side facing for next row. Cast off loosely in ribbing.

TO MAKE UP: Fold collar in half to inside and sew in position stitching front edges together. Sew in sleeves having rows above markers along cast off edges of fronts and back. Sew side and sleeve seams. Fold ribbed section of sleeve in half to inside and sew in position. Sew pocket linings in position on wrong side. Sew buttons to correspond to buttonholes. **Do not press.**


SOPHISTICATED SAMPLER
CHART IV




KEY

- ☐ = Knit on right side. Purl on wrong side
- ☒ = Purl on right side. Knit on wrong side
- ☒ = Knit on right side. Knit on wrong side (Garter Stitch)
- ☒ = Place marker

SOPHISTICATED SAMPLER CHART III



omit These 4 Rows M: Omit These 2 Rows S and M: Omit These 2 Rows S and M: Omit These 2 Rows S: Omit These 4 Rows M: Omit These 2 Rows



Back and left front: Start here

Right front: Start here

Key

- ☐ = Knit on Right Side
- ☒ = Purl on Wrong Side
- ☒ = Purl on Right Side
- ☒ = Knit on Wrong Side
- ☒ = Knit on Right Side
- ☒ = Knit on Wrong Side (Garter Stitch)

Row 68: Refer to Pattern for

7. Love That Aran

(shown on pages 36 and 37)

SIZES AND MATERIALS:

	Small
Bust measurement	30-32 ins (76- 81 cm)
Finished bust	44 " (118 ")
Length from top of shoulder	36 " (91 ")
Sleeve length	16 " (41 ")

Medium

Bust measurement	34-36 ins (86- 91 cm)
Finished bust	48 " (122 ")
Length from top of shoulder	38 " (97 ")
Sleeve length	16½ " (42 ")

Large

Bust measurement	38-40 ins (97-102 cm)
Finished bust	52 " (132 ")
Length from top of shoulder	40 " (102 ")
Sleeve length	17 " (43 ")

Patons Aran Style (50 g)

35 balls

39 balls

43 balls

Two 3¾ mm (U.S. 5) and two 4½ mm (U.S. 7) knitting needles or whichever needles you require to produce the tension given below. 2 stitch holders. One cable needle or one double pointed needle.

TENSION: 19 sts and 25 rows = 4 ins (10 cm) with 4½ mm needles in stocking st.

SPECIAL ABBREVIATIONS:

KB1 = Knit into back of next st.

Tw2L = Knit into back of 2nd st on left hand needle, then knit into front of 1st st, slipping both sts off needle together.

Tw2R = Knit into front of 2nd st on left hand needle, then knit into front of 1st st, slipping both sts off needle together.

FC = Slip next st onto a cable needle and leave at front of work. P1, then K1 from cable needle.

BC = Slip next st onto a cable needle and leave at back of work. K1, then P1 from cable needle.

MB = (K1, P1)twice all into next st. **Turn.** P4. **Turn.** K4. **Turn.** (P2tog)twice. **Turn.** K2tog.

M1 = Make one stitch by picking up horizontal loop lying before next st and working into back of loop.

PANEL PATTERN: (Worked over 26 sts)

1st row: (Wrong side). K1, P2, K9, P2, K9, P2, K1.

2nd row: P1, Tw2R, P8, Tw2R, Tw2L, P8, Tw2L, P1.

3rd row: K1, P2, K7, FC, P2, BC, K7, P2, K1.

4th row: P1, Tw2R, P6, BC, Tw2R, Tw2L, FC, P6, Tw2L, P1.

5th row: K1, P2, K5, FC, K1, P4, K1, BC, K5, P2, K1.

6th row: P1, Tw2R, P4, BC, P1, BC, K2, FC, P1, FC, P4, Tw2L, P1.

7th row: K1, P2, K2, (K2, P1)twice, K1, P2, K1, (P1, K2)twice, K2, P2, K1.

8th row: P1, Tw2R, P4, MB, P1, BC, P1, K2, P1, FC, P1, MB, P4, Tw2L, P1.

9th row: K1, P2, K6, P1, K2, P2, K2, P1, K6, P2, K1.

10th row: P1, Tw2R, P6, MB, P2, K2, P2, MB, P6, Tw2L, P1.

These 10 rows complete one panel pattern.

The instructions are written for small size. Any changes necessary for medium size (M) and large size (L) are written in brackets thus: ().

POCKET LINING: (Make 2). With 4½ mm needles cast on 24 sts and work 5 ins (13 cm) in stocking st, ending with **wrong** side facing for next row and increasing 8 sts evenly across last row. 32 sts on needle. Leave these sts on a spare needle.

BACK: With 3¾ mm needles cast on 139 sts (M — 151 sts) (L — 163 sts).

1st row: (Right side). KB1, *P1, KB1. Repeat from * to end of row.

2nd row: P1, *KB1, P1. Repeat from * to end of row.

Repeat these 2 rows ribbing for 1 inch (2.5 cm) ending on a 1st row and decreasing 9 sts evenly across last row. 130 sts on needle (M — 142 sts) (L — 154 sts).

Change to 4½ mm needles and proceed in pattern as follows:

1st row: (Wrong side). K1, * (K1, P1, K1) all into next st. P3tog *. Repeat from * to * twice (M — 3 times) (L — 4 times). Work 1st row panel pattern. Repeat from * to * 13 times (M — 14 times) (L — 15 times). Work 1st row panel pattern. Repeat from * to * 3 times (M — 4 times) (L — 5 times). K1.

2nd row: P13 (M — P17) (L — P21). Work 2nd row panel pattern. P52 (M — P56) (L — P60). Work 2nd row panel pattern. Purl to end of row.

3rd row: K1, *P3tog. (K1, P1, K1) all into next st. * Repeat from * to * twice (M — 3 times) (L — 4 times). Work 3rd row panel pattern. Repeat from * to * 13 times (M — 14 times) (L — 15 times). Work 3rd row panel pattern. Repeat from * to * 3 times (M — 4 times) (L — 5 times). K1.

4th row: P13 (M — P17) (L — P21). Work 4th row panel pattern. P52 (M — P56) (L — P60). Work 4th row panel pattern. Purl to end of row.

These 4 rows complete one pattern.

Panel patterns are now in position.

Continue in pattern working appropriate rows panel pattern until work from beginning measures 26 ins (66 cm), (M — 27 ins) (69 cm), (L — 28 ins) (71 cm) ending with right side facing for next row.

To shape armholes: Keeping continuity of pattern cast off 13 sts (M — 17 sts) (L — 21 sts) beginning next 2 rows. 104 sts on needle (M — 108 sts) (L — 112 sts).

Work even in pattern until back from cast off edge measures approx 10 ins (25 cm), (M — 11 ins) (28 cm), (L — 12 ins) (31 cm) ending on a 10th row of pattern. Cast off in pattern. Place markers along back cast off edges 39 sts in from side edges.

RIGHT FRONT: **With 3¾ mm needles cast on 55 sts (M — 59 sts) (L — 63 sts) and work 1 inch (2.5 cm) ribbing as given for back, ending on a 1st row and decreasing 3 sts evenly across last row. 52 sts on needle (M — 56 sts) (L — 60 sts).

Change to 4½ mm needles and proceed in pattern as follows:**

1st row: (Wrong side). K1, * (K1, P1, K1) all into next st. P3tog. * Repeat from * to * twice (M — 3 times) (L — 4 times). Work 1st row panel pattern. Repeat from * to * 3 times. K1.

2nd row: P13. Work 2nd row panel pattern. Purl to end of row.

3rd row: K1, *P3tog. (K1, P1, K1) all into next st. * Repeat from * to * twice (M — 3 times) (L — 4 times). Work 3rd row panel pattern. Repeat from * to * 3 times. K1.

4th row: P13. Work 4th row panel pattern. Purl to end of row.

These 4 rows complete one pattern.

Panel pattern is now in position.

Continue in pattern working appropriate rows panel pattern until work from beginning measures approx 13 ins (33 cm), (M — 14 ins) (36 cm), (L — 15 ins) (38 cm) ending on a 1st row of pattern.

To place pockets: Next row: (Right side). Pattern across 10 sts. Slip next 32 sts onto a st holder. Pattern across 32 sts from 1st pocket lining. Pattern to end of row.

Continue in pattern until front from beginning measures same length as back to armhole shaping, ending with **wrong** side facing for next row.

To shape armhole: Next row: Keeping continuity of pattern, cast off 13 sts (*M* — 17 sts) (*L* — 21 sts) beginning next row. 39 sts on needle.

Work even in pattern until front from beginning measures same length as back to shoulders, ending on the same row of pattern. Cast off in pattern.

LEFT FRONT: Work from ** to ** as given for right front.

1st row: (Wrong side). K1. * (K1. P1. K1) all into next st. P3tog. * Repeat from * to * twice. Work 1st row panel pattern. Repeat from * to * 3 times (*M* — 4 times) (*L* — 5 times). K1.

2nd row: P13 (*M* — P17) (*L* — P21). Work 2nd row panel pattern. Purl to end of row.

3rd row: K1. *P3tog. (K1. P1. K1) all into next st. * Repeat from * to * twice. Work 3rd row panel pattern. Repeat from * to * 3 times (*M* — 4 times) (*L* — 5 times). K1.

4th row: P13 (*M* — P17) (*L* — P21). Work 4th row panel pattern. Purl to end of row.

These 4 rows complete one pattern.

Panel pattern is now in position.

Continue in pattern working appropriate rows panel pattern until work from beginning measures approx 13 ins (33 cm), (*M* — 14 ins) (36 cm), (*L* — 15 ins) (38 cm) ending on a 1st row of pattern.

To place pocket: Next row: (Right side). Pattern across 10 sts (*M* — 14 sts) (*L* — 18 sts). Slip next 32 sts onto a st holder. Pattern across 32 sts from 2nd pocket lining. Pattern to end of row.

Work to correspond to other side reversing all shapings.

SLEEVES: With 3¼ mm needles cast on 81 sts (*M* — 89 sts) (*L* — 97 sts) and work 3 ins (8 cm) in ribbing as given for back, ending on a 1st row and decreasing 5 sts evenly across last row. 76 sts on needle (*M* — 84 sts) (*L* — 92 sts).

Change to 4½ mm needles and proceed in pattern as follows:

1st row: (Wrong side). K1. * (K1. P1. K1) all into next st. P3tog. * Repeat from * to * 5 times (*M* — 6 times) (*L* — 7 times). Work 9th row (*M* — 7th row) (*L* — 3rd row) panel pattern. Repeat from * to * 6 times (*M* — 7 times) (*L* — 8 times). K1.

2nd row: P25 (*M* — P29) (*L* — P33). Work 10th row (*M* — 8th row) (*L* — 4th row) panel pattern. Purl to end of row.

3rd row: K1. *P3tog. (K1. P1. K1) all into next st. * Repeat from * to * 5 times (*M* — 6 times) (*L* — 7 times). Work 1st row (*M* — 9th row) (*L* — 5th row) panel pattern. Repeat from * to * 6 times (*M* — 7 times) (*L* — 8 times). K1.

4th row: P25 (*M* — P29) (*L* — P33). Work 2nd row (*M* — 10th row) (*L* — 6th row) panel pattern. Purl to end of row.

These 4 rows complete one pattern.

Panel pattern is now in position.

Continue in pattern working appropriate rows panel pattern increasing 1 st each end of needle on next, then every following 5th row to 112 sts on needle (*M* — 124 sts) (*L* — 136 sts) taking increased sts into pattern.

Work even in pattern until sleeve from beginning measures 19 ins (48 cm), (*M* — 19½ ins) (50 cm), (*L* — 20 ins) (51 cm). Place markers at end of last row.

Continue even in pattern until work from markers measures approx 2 ins (5 cm) (*M* and *L* — 3 ins) (8 cm) ending on a 10th row of pattern.

Next row: (Wrong side). Pattern across 55 sts (*M* — 61 sts) (*L* — 67 sts). P1. M1. P1. Pattern to end of row.

Next row: Pattern across 55 sts (*M* — 61 sts) (*L* — 67 sts). K1. MB. K1. Pattern to end of row.

Next row: Pattern across 55 sts (*M* — 61 sts) (*L* — 67 sts). P1. P2tog. Pattern to end of row. Cast off in pattern.

COLLAR AND BANDS: Sew shoulder seams to markers. With 3¼ mm needles cast on 139 sts (*M* — 145 sts) (*L* — 151 sts) and work 7 ins (18 cm) in ribbing as given for back, ending on a 2nd row.

To shape left front band: Next row: Rib across 52 sts (*M* — 54 sts) (*L* — 56 sts). Place a marker on last st (front edge). **Turn.** Leave remaining sts on a spare needle.

Work 1 row even in ribbing.

Dec 1 st at front edge on next, then every alternate row to 35 sts on needle (*M* — 37 sts) (*L* — 39 sts).

Continue even in ribbing until front band from marker fits along left front edge from shoulder seam to cast on edge. Cast off in ribbing.

With right side of work facing, join yarn to sts on spare needle. Cast off next 35 sts (*M* — 37 sts) (*L* — 39 sts) (back neck edge). Rib to end of row.

Work to correspond to other side.

TO MAKE UP: Sew in sleeves placing rows above markers along cast off sts at armholes. Sew side and sleeve seams reversing seam for cuff turn back. Sew collar in position along back neck edge and front bands in position along front edges.

POCKET BANDS: With 3¼ mm needles knit across 32 sts from pocket st holder increasing 1 st in centre. Beginning with a 2nd row, work 1½ ins (4 cm) in ribbing as given for back. Cast off in ribbing. Sew edges of pocket bands in position on right side and pocket linings on wrong side. **Do not press.**

8. Top Notch Trench

(shown on page 38)

SIZES AND MATERIALS:

Bust measurement	Small 30-32 ins (76- 81 cm)
Finished bust	46 " (117 ")
Length from centre back:	
Long version	46 " (117 ")
Short version	36 " (91 ")
Sleeve length (approx.)	16 " (41 ")

Medium

34-36 ins (86- 91 cm)
50 " (127 ")
48 " (122 ")
38 " (97 ")
16½ " (42 ")

Large

38-40 ins (97-102 cm)
54 " (137 ")
50 " (127 ")
40 " (102 ")
17 " (43 ")

Patons Canadiana (50 g) or Patons Super Wool (50 g)

Long version	32 balls
Short version	29 "

35 balls
32 "

38 balls
35 "

Two 3¼ mm (U.S. 5) and two 5½ mm (U.S. 9) knitting needles **or whichever needles you require to produce the tension given below.**
Four 1 inch (2.5 cm) buttons. Two ½ inch (1 cm) buttons. Purchased belt buckle if desired. Shoulder pads.

TENSION: 25 sts and 22 rows = 4 ins (10 cm) with 5½ mm needles in pattern.

SPECIAL ABBREVIATION:

KB1 = Knit into back of next st.

The instructions are written for small size. Any changes necessary for medium size (M) and large size (L) are written in brackets thus: ().

BACK: With 3¼ mm needles cast on 157 sts (*M* — 171 sts) (*L* — 185 sts).

**** 1st row:** (Right side). K1. *P1. KB1. Repeat from * to end of row.

2nd row: P1. *KB1. P1. Repeat from * to end of row. **

Repeat these 2 rows ribbing twice, then 1st row once decreasing 12 sts (*M* — 14 sts) (*L* — 16 sts) evenly across last row. 145 sts on needle (*M* — 157 sts) (*L* — 169 sts).

Change to 5½ mm needles and purl 1 row.

Proceed in pattern as follows:

1st row: (Right side). K2. *Knit into back of 2nd st on left hand needle, then knit into front of 1st st slipping both sts off needle together. Repeat from * to last st. K1.

2nd row: P2. *Purl into front of 2nd st on left hand needle, then purl into front of 1st st slipping both sts off needle together. Repeat from * to last st. P1.

These 2 rows complete one pattern.

Continue in pattern until back from beginning measures 33 ins (84 cm), (*M* — 34 ins) (87 cm), (*L* — 35 ins) (89 cm) for **long version** or 23 ins (58 cm), (*M* — 24 ins) (61 cm), (*L* — 25 ins) (64 cm) for **short version**, ending with right side facing for next row.

To shape armholes: Cast off 12 sts beginning next 2 rows.

Next row: K1. (K3tog tbl). Pattern to last 4 sts. K3tog. K1.

Work 2 rows even in pattern.

Next row: P1. (P3tog tbl). Pattern to last 4 sts. P3tog. P1.

Work 2 rows even in pattern.

Repeat last 6 rows 10 times (*M* — 11 times) (*L* — 12 times). 33 sts on needle (*M* — 37 sts) (*L* — 41 sts).

Cast off decreasing 10 sts (*M* — 11 sts) (*L* — 12 sts) evenly across.

RIGHT FRONT: With 3¼ mm needles cast on 107 sts (*M* — 115 sts) (*L* — 121 sts).

Work from ** to ** as given for back.

Repeat these 2 rows ribbing twice.

Next row: Rib across 6 sts. Leave these sts on a safety pin for front band. Rib to end of row decreasing 8 sts (*M* and *L* — 10 sts) evenly across. 93 sts on needle (*M* — 99 sts) (*L* — 105 sts).

Change to 5½ mm needles and purl 1 row.

Proceed in pattern as given for back until work from beginning measures 20 ins (51 cm), (*M* — 21 ins) (54 cm), (*L* — 22 ins) (56 cm) for **long version** or 10 ins (25 cm), (*M* — 11 ins) (28 cm), (*L* — 12 ins) (31 cm) for **short version**, ending with right side facing for next row.

To make pocket opening: Next row: Pattern across 60 sts (*M* — 62 sts) (*L* — 64 sts) (pocket edge). **Turn.** Leave remaining sts on a spare needle.

Continue on these sts until work from beginning measures 22 ins (56 cm), (*M* — 23 ins) (59 cm), (*L* — 24 ins) (61 cm) for **long version** or 12 ins (31 cm), (*M* — 13 ins) (33 cm), (*L* — 14 ins) (36 cm) for **short version**, ending with right side facing for next row.

To make 1st set of buttonholes: 1st row: K2. (Sl 1. K1. pssso) twice. Pattern across 24 sts. (Sl 1. K1. pssso) twice. Pattern to end of row.

2nd row: Pattern across 27 sts (*M* — 29 sts) (*L* — 31 sts). (Yrn) twice. Pattern across 26 sts. (Yrn) twice. Pattern to end of row.

3rd row: K2. *Miss next st. Knit into back of yrn on left hand needle, then into front of missed st slipping both sts off needle together. Miss next yrn. Knit into back of next st on left hand needle, then knit into back of yrn slipping both sts off needle together. * Pattern across 24 sts. Repeat from * to * once. Pattern to end of row.

Continue in pattern until work from beginning measures 26 ins (66 cm), (*M* — 27 ins) (69 cm), (*L* — 28 ins) (71 cm) for **long version** or 16 ins (41 cm), (*M* — 17 ins) (43 cm), (*L* — 18 ins) (46 cm) for **short version**, ending with **wrong** side facing for next row. Break yarn.

With right side of work facing pattern across 33 sts (*M* — 37 sts) (*L* — 41 sts) from spare needle.

Continue in pattern until work from beginning measures same length as other side, ending with **wrong** side facing for next row.

Next row: Pattern to end of row. With **wrong** side facing, pattern across sts from spare needle. 93 sts on needle (*M* — 99 sts) (*L* — 105 sts).

Continue in pattern until work from beginning measures 27½ ins (70 cm), (*M* — 28½ ins) (73 cm), (*L* — 29½ ins) (75 cm) for **long version** or 17½ ins (45 cm), (*M* — 18½ ins) (47 cm), (*L* — 19½ ins) (50 cm) for **short version**, ending with right side facing for next row.

To make 2nd set of buttonholes: Next row: As 1st row of 1st set of buttonholes.

Next row: Pattern across 60 sts (*M* — 66 sts) (*L* — 72 sts). (Yrn)twice. Pattern across 26 sts. (Yrn)twice. Pattern to end of row.

Next row: As 3rd row of 1st set of buttonholes. Work 1 row even in pattern.

To shape front: Next row: K2tog (front edge). Pattern to end of row.

Work 1 row even in pattern.

Continue decreasing 1 st at front edge on next, then every alternate row to 79 sts on needle (*M* — 85 sts) (*L* — 91 sts) ending with **wrong** side facing for next row.

Next row: Cast off 12 sts (armhole edge). Pattern to end of row.

Next row: K2tog. Pattern to last 4 sts. K3tog. K1.

Work 1 row even in pattern.

Next row: K2tog. Pattern to end of row.

Next row: P1. (P3tog tbl). Pattern to end of row.

Continue decreasing 1 st at front edge on next, then every alternate row, at same time, dec 2 sts as before, at armhole edge on every following 3rd row from previous decrease to 25 sts on needle (*M* — 21 sts) (*L* — 19 sts).

Continue decreasing 2 sts at armhole edge as before, at same time, dec 1 st at front edge **every** row to 1 st on needle. Fasten off.

LEFT FRONT: With 3¼ mm needles cast on 107 sts (*M* — 115 sts) (*L* — 121 sts).

Work from ** to ** as given for back.

Repeat these 2 rows ribbing twice.

Next row: Rib to last 6 sts decreasing 8 sts (*M* and *L* — 10 sts) evenly across. Rib to end of row.

Next row: Rib across 6 sts. Leave these 6 sts on a safety pin for front band. Change to 5½ mm needles and purl to end of row. 93 sts on needle (*M* — 99 sts) (*L* — 105 sts).

Proceed in pattern as given for back until work from beginning measures 20 ins (51 cm), (*M* — 21 ins) (54 cm), (*L* — 22 ins) (56 cm) for **long version** or 10 ins (25 cm), (*M* — 11 ins) (28 cm), (*L* — 12 ins) (31 cm) for **short version**, ending with right side facing for next row.

To make pocket opening: Next row: Pattern across 33 sts (*M* — 37 sts) (*L* — 41 sts) (pocket edge). **Turn.** Leave remaining sts on a spare needle.

Continue on these sts until work from beginning measures 26 ins (66 cm), (*M* — 27 ins) (69 cm), (*L* — 28 ins) (71 cm) for **long version** or 16 ins (41 cm), (*M* — 17 ins) (43 cm), (*L* — 18 ins) (46 cm) for **short version**, ending with **wrong** side facing for next row. Break yarn.

With right side of work facing, pattern across 60 sts (*M* — 62 sts) (*L* — 64 sts) from spare needle.

Continue to correspond to other side reversing all shapings.

RIGHT FRONT BAND AND LAPEL: With **wrong** side of work facing and 3¼ mm needles rib across 6 sts from right front safety pin.

Continue in ribbing until band, when slightly stretched, fits along right front edge to 1st front decrease, ending with right side facing for next row.

Next row: Rib to last st. Inc 1 st in last st (inside edge).

Work 1 row even in ribbing.

Inc 1 st at inside edge on next, then every alternate row to 48 sts on needle (*M* — 51 sts) (*L* — 54 sts).

Work 1 row even in ribbing.

Next row: Cast off 28 sts (neck edge). Rib to last st. Inc 1 st in last st (inside edge).

Continue increasing 1 st at inside edge every alternate row 3 times (*M* — 4 times) (*L* — 7 times) then **every** row 6 times (*M* — 4 times) (*L* — 0 times) at same time, dec 1 st at neck edge **every** row to 18 sts on needle (*M* and *L* — 20 sts) ending with **wrong** side facing for next row.

Next row: Rib to last 2 sts. Work 2tog.

Continue decreasing 1 st at neck edge on next 10 rows (*M* and *L* — 13 rows) at same time, dec 1 st at inside edge on next, then every following 4th row twice (*M* and *L* — 3 times). 4 sts on needle (*M* and *L* — 2 sts).

Small size only: Work 1 row even.

Next row: Rib across 2 sts. Work 2tog.

Next row: Rib across 1 st. Work 2tog.

Next row: Work 2tog. Fasten off.

Medium size only: Work 1 row even.

Next row: Work 2tog. Fasten off.

Large size only: Next row: Work 2tog. Fasten off.

Referring to diagram, sew inside edge of band and lapel to coat front edge.

LEFT FRONT BAND AND LAPEL: With right side of work facing and 3¼ mm needles rib across 6 sts from left front safety pin.

Continue in ribbing until band, when slightly stretched, fits along left front edge to 1st front decrease, ending with right side facing for next row.

Next row: Inc 1 st in 1st st (inside edge).

Work 1 row even in ribbing.

Work to correspond to other side reversing all shapings.

RIGHT BACK AND LEFT FRONT SLEEVES: ***With 3¼ mm needles cast on 45 sts (*M* — 47 sts) (*L* — 49 sts) and work from ** to ** as given for back.

Repeat these 2 rows ribbing twice, then 1st row once decreasing 4 sts (*M* — 3 sts) (*L* — 2 sts) evenly across. 41 sts on needle (*M* — 44 sts) (*L* — 47 sts).

Change to 5½ mm needles and purl 1 row.

Proceed in pattern as given for back for 4 rows.***

Next row: Pattern to last st. Inc 1 st in last st (armhole edge).

Work 3 rows even in pattern.

Continue in pattern increasing 1 st at armhole edge on next, then every following 4th row 8 times (*M* — 5 times) (*L* — 4 times) then every alternate row 20 times (*M* and *L* — 24 times) then **every** row to 81 sts on needle (*M* — 87 sts) (*L* — 93 sts) ending with **wrong** side facing for next row.

Work 2 rows even in pattern.

To shape raglan: Next row: (Wrong side). Cast off 12 sts. Pattern to end of row.

Next row: Pattern to last 4 sts. K3tog. K1.

Work 1 row even in pattern.

Repeat these 2 rows to 19 sts on needle, ending with **wrong** side facing for next row.

Work 1 row even in pattern.

Next row: P1. (P3tog tbl). Pattern to end of row.

Work 2 rows even in pattern.

Next row: Pattern to last 4 sts. K3tog. K1.

Work 2 rows even in pattern.

Next row: P1. (P3tog tbl). Pattern to end of row.

Work 2 rows even in pattern. 13 sts on needle.

For left front sleeve only: Cast off.

For right back sleeve only: Next row: K1. (K3tog tbl). Pattern across 5 sts. K3tog. K1.

Work 1 row even in pattern.

Next row: K1. (K3tog tbl). Pattern to end of row.

Next row: P1. (P3tog tbl). Pattern to end of row.

Next row: K1. (K3tog tbl). Pattern to end of row.

Work 1 row even.

Next row: (P3tog tbl). Fasten off.

Left back and right front sleeves: Work from *** to *** as given for right back and left front sleeves.

Next row: Inc 1 st in 1st st (armhole edge). Pattern to end of row.

Work to correspond to right back and left front sleeves reversing all shapings until 13 sts remain on needle.

For right front sleeve only: Cast off.

For left back sleeve only: Next row: K1. (K3tog tbl). Pattern across 5 sts. K3tog. K1.

Work 1 row even in pattern.

Next row: Pattern to last 4 sts. K3tog. K1.

Next row: Pattern to last 4 sts. P3tog. P1.

Next row: Pattern to last 4 sts. K3tog. K1.

Work 1 row even.

Next row: P3tog. Fasten off.

SHOULDER SLEEVE BINDINGS: With right side of front sleeve facing and 3¾ mm needles, pick up and knit 159 sts ($M - 170$ sts) ($L - 178$ sts) evenly along straight (shoulder) edge.

For a neat finish, pick up sts 1 st in from edge.

Beginning with a purl row, work 8 rows stocking st. Cast off.

Sew cast off edge of binding to straight (shoulder) edge of back sleeve. Sew straight edges of sleeves together to form fold in binding.

BACK RAGLAN SLEEVE BINDINGS: With right side of coat back facing and 3¾ mm needles, pick up and knit 102 sts ($M - 110$ sts) ($L - 118$ sts) along back armhole edge.

Work as given for shoulder sleeve binding. Sew cast off edge of binding to back sleeve raglan edge. Sew back armhole edge to back sleeve raglan edge together to form fold in binding.

FRONT RAGLAN SLEEVE BINDINGS: With right side of coat front facing and 3¾ mm needles, pick up and knit 94 sts ($M - 102$ sts) ($L - 110$ sts) along front armhole edge.

Work as given for shoulder sleeve bindings. Sew cast off edge to binding to front sleeve raglan edge. Sew front armhole edge to front sleeve raglan edge together to form fold in binding. Sew side and sleeve seams.

SLEEVE BAND: (Make 2). With 3¾ mm needles cast on 13 sts and work 11½ ins (29 cm), ($M - 12$ ins) (31 cm), ($L - 12½$ ins) (32 cm) in ribbing as given for back. Cast off in ribbing.

Wrap sleeve band around sleeve approx 2 ins (5 cm) from bottom edge, lap ends at upper sleeve seam and sew ½ inch (1 cm) buttons through all thicknesses as illustrated. Tack sleeve band at underarm seam to hold in position.

COLLAR: With 3¾ mm needles cast on 29 sts and work 2 rows ribbing as given for back.

Next row: (Right side). Rib to last st. Inc 1 st in last st (neck edge).

Work 1 row even in ribbing.

Repeat last 2 rows to 51 sts on needle.

Continue even in ribbing until collar from last increase measures 7 ins (18 cm), ($M - 7½$ ins) (19 cm), ($L - 8$ ins) (20 cm) ending with right side facing for next row.

Dec 1 st at neck edge on next, then every alternate row to 29 sts on needle.

Work 2 rows even in ribbing. Cast off in ribbing.


Sew collar neck edge to coat neck edge as indicated on diagram.

POCKET BAND: (Make 2). With 3¾ mm needles cast on 13 sts and work ribbing as given for back until band, when slightly stretched, fits along front pocket edge. Sew in position along front pocket edge. Sew band ends in position.

POCKET LINING: (Make 2). With 5½ mm needles cast on 36 sts and work 8 ins (20 cm) in stocking st, ending with right side facing for next row. Cast off. Place markers along side edges 6 ins (15 cm) down from cast off edge. Fold pocket in half (right side to inside) and sew along top and bottom edges to side markers. Sew pocket opening edges to pocket lining openings.

Sew buttons in position. **Do not press.**

BELT: With 3¾ mm needles cast on 17 sts and work in ribbing as given for back until belt from beginning measures 56 ins (142 cm), ($M - 58$ ins) (148 cm), ($L - 60$ ins) (152 cm). Cast off in ribbing. Sew buckle to end if desired.



9. Attention To Detail

(shown on page 39)

SIZES AND MATERIALS:

	Small
Bust measurement	30-32 ins (76- 81 cm)
Finished bust	39 " (99 ")
Length from top of shoulder	28 " (71 ")
Sleeve length	18 " (46 ")

Medium

Bust measurement	34-36 ins (86- 91 cm)
Finished bust	44 " (112 ")
Length from top of shoulder	28 " (71 ")
Sleeve length	18 " (46 ")

Large

Bust measurement	38-40 ins (97-102 cm)
Finished bust	48 " (122 ")
Length from top of shoulder	28 " (71 ")
Sleeve length	18 " (46 ")

Beehive Shetland Chunky (50 g)

22 balls

24 balls

26 balls

Two 4½ mm (U.S. 7) and two 6 mm (U.S. 10) knitting needles. One 4½ mm (U.S. 7) and one 6 mm (U.S. 10) circular needle 75 cm long **or** **whichever needles you require to produce the tension given below.** One 4.50 mm (U.S. 7) crochet hook. One cable needle or one double pointed needle. One separating zipper.

TENSION: 20 sts and 20 rows = 4 ins (10 cm) with 6 mm needles in pattern.

SPECIAL ABBREVIATIONS:

LT = Purl into back of 2nd st on needle, then knit into 1st st slipping both sts off needle together.

RT = Knit into 2nd st on needle, then purl into 1st st slipping both sts off needle together.

CL3 = K3, slip these 3 sts onto cable needle, then wrap yarn 4 times around these sts under the cable needle in a counter-clockwise direction, slip the 3 sts back onto right hand needle.

PATTERN:

1st row: (Wrong side). P2. *K4. P1. K4. P3. Repeat from * to last 11 sts. K4. P1. K4. P2.

2nd row: K1. *LT. P3. K1. P3. RT. K1. Repeat from * to end of row.

3rd row: P1. *K1. P1. (K3. P1)twice. K1. P1. Repeat from * to end of row.

4th row: K1. *P1. LT. P2. K1. P2. RT. P1. K1. Repeat from * to end of row.

5th row: P1. *K2. P1. Repeat from * to end of row.

6th row: K1. *P2. LT. P1. K1. P1. RT. P2. K1. Repeat from * to end of row.

7th row: P1. *K3. (P1. K1)twice. P1. K3. P1. Repeat from * to end of row.

8th row: K1. *P3. LT. K1. RT. P3. K1. Repeat from * to end of row.

9th row: P1. *K4. P3. K4. P1. Repeat from * to end of row.

10th row: K1. *P4. CL3. P4. K1. Repeat from * to end of row.

11th row: As 9th row.

12th row: K1. *P3. RT. K1. LT. P3. K1. Repeat from * to end of row.

13th row: As 7th row.

14th row: K1. *P2. RT. P1. K1. P1. LT. P2. K1. Repeat from * to end of row.

15th row: As 5th row.

16th row: K1. *P1. RT. P2. K1. P2. LT. P1. K1. Repeat from * to end of row.

17th row: As 3rd row.

18th row: K1. *RT. P3. K1. P3. LT. K1. Repeat from * to end of row.

19th row: As 1st row.

20th row: K2. *P4. K1. P4. CL3. Repeat from * to last 11 sts. P4. K1. P4. K2.

These 20 rows complete one pattern.

Note: Body is worked in one piece to armholes.

The instructions are written for small size. Any changes necessary for medium size (M) and large size (L) are written in brackets thus: ().

BODY: With 4½ mm circular needle cast on 163 sts (M — 187 sts) (L — 211 sts). **Do not join.** Working back and forth across needle proceed as follows:

1st row: (Right side). K1. *P1. K1. Repeat from * to end of row.

2nd row: P1. *K1. P1. Repeat from * to end of row.

Repeat these 2 rows (K1. P1) ribbing for 3 ins (8 cm) ending with **wrong** side facing for next row and increasing 30 sts evenly across last row. 193 sts on needle (M — 217 sts) (L — 241 sts).

Change to 6 mm circular needle and work 10 rows (M — 8 rows) (L — 6 rows) in pattern. Place markers on last row between 33rd and 34th sts (M — 39th and 40th sts) (L — 45th and 46th sts) and between 160th and 161st sts (M — 178th and 179th sts) (L — 196th and 197th sts).

Continue in pattern decreasing 1 st each end of needle on next, then every following 5th row 4 times, then every following 4th row 22 times (M — 23 times) (L — 24 times) at same time, when work from beginning measures 5 ins (13 cm) divide for pockets as follows:

Next row: Keeping continuity of pattern work to last st before marker. Inc 1 st in next st (right front). **Turn.** Leave remaining sts on a spare needle.

Continue in pattern decreasing as before until work from beginning measures 10 ins (25 cm) ending with **wrong** side facing for next row. Leave these sts on a spare needle. Break yarn.

With right side of work facing, join yarn to sts on 1st spare needle. Inc 1 st in 1st st. Pattern to last st before 2nd marker. Inc 1 st in next st. **Turn.** Leave remaining sts on a spare needle. 129 sts on needle (M — 141 sts) (L — 153 sts).

Continue even in pattern until work from beginning measures same length as right front, ending on a same row of pattern. Break yarn.

With right side of work facing, join yarn to sts remaining on spare needle. Inc 1 st in 1st st. Pattern to end of row (left front).

Continue in pattern decreasing as before until work from beginning measures same length as right front, ending on the same row of pattern. Break yarn.

Next row: Keeping continuity of pattern, pattern across left front to last 2 sts. Work 2tog. Working across sts from back spare needle, work 2tog. Pattern to last 2 sts. Work 2tog. Working across sts from right front spare needle work 2tog. Pattern to end of row. Pocket openings are now complete.

Continue in pattern decreasing at front edges as before until work from beginning measures 18 ins (46 cm) ending with right side facing for next row.

To shape right front armhole: Next row: Pattern to 1st marker. Pattern across 15 more sts (armhole edge). **Turn.** Leave remaining sts on a spare needle.

Continue in pattern decreasing 1 st at armhole edge on next 14 rows, at same time, decreasing at front edge as before. Keeping armhole edge even, continue decreasing at front edge. 7 sts on

needle (*M — 12 sts*) (*L — 17 sts*).

Work 7 rows (*M — 5 rows*) (*L — 3 rows*) even in pattern. Cast off.

With right side of work facing, join yarn to sts on spare needle. Pattern to last 15 sts before 2nd marker (back armhole edge).

Turn. Leave remaining sts on a spare needle. 97 sts (*M — 109 sts*) (*L — 121 sts*).

Continue in pattern decreasing 1 st each end of needle on next 14 rows. 69 sts on needle (*M — 81 sts*) (*L — 93 sts*).

Continue even in pattern until back measures same length as right front. Cast off. Place markers on cast off edge 14 sts (*M — 20 sts*) (*L — 26 sts*) in from side edges for back neck.

To shape left front: With right side of work facing, join yarn to sts on spare needle. Pattern to end of row.

Work to correspond to right front reversing all shapings.

RIGHT FRONT PANEL: With 6 mm needles cast on 2 sts and work 10 rows (*M — 8 rows*) (*L — 6 rows*) in (K1, P1) ribbing.

Next row: (Right side). K1. Inc 1 st in next st (side edge) work 4 rows even in ribbing.

Continue in ribbing increasing 1 st at side edge on next, then every following 5th row 4 times, then every following 4th row 22 times (*M — 23 times*) (*L — 24 times*) at same time, when work from beginning measures 20½ ins (52 cm), with right side of work facing, cast off 8 sts at front edge for neck edge.

Continue increasing at side edge as before, at same time, dec 1 st at neck edge on next 13 rows.

Keeping neck edge even, continue increasing at side edge to 7 sts on needle (*M — 8 sts*) (*L — 9 sts*).

Work 7 rows (*M — 5 rows*) (*L — 3 rows*) even in ribbing. Cast off.

LEFT FRONT PANEL: With 6 mm needles cast on 2 sts and work 10 rows (*M — 8 rows*) (*L — 6 rows*) in (K1, P1) ribbing.

Next row: (Right side). Inc 1 st in 1st st (side edge). P1.

Work to correspond to right front panel reversing all shapings.

SLEEVES: With 4½ mm needles cast on 41 sts and work 2½ ins (6 cm) in (K1, P1) ribbing as given for body, ending with **wrong** side facing for next row and increasing 32 sts evenly across last row. 73 sts on needle.

Change to 6 mm needles and proceed in pattern increasing 1 st

each end of needle on 7th, then every following 8th row 8 times taking increased sts into pattern. 91 sts on needle.

Continue even in pattern until sleeve from beginning measures 18 ins (46 cm) ending with **wrong** side facing for next row. Place markers at each end of last row.

To shape top: Keeping continuity of pattern dec 1 st each end of needle on next 14 rows. 63 sts on needle. Cast off.

POCKET LINING: (Make 4). With right side of work facing and 6 mm needles, pick up and knit 19 sts along each pocket opening edge. Work 5 ins (13 cm) in stocking st, ending with right side facing for next row. Cast off.

TO MAKE UP: Sew front panel side edges to body front. Sew shoulder seams to back neck markers. Sew sleeve seams to sleeve markers. Sew in sleeves. Sew side and pocket lining seams.

SIDE BAND: (Make 2). With 4½ mm needles cast on 9 sts and work (K1, P1) ribbing as given for body until band fits from top of ribbing up side front along pocket opening, over armhole seam and down back. Sew side edge of band along this line having outside edge overlap sleeve and pocket openings. Take care to position band between same 2 vertical lines of stitches. Sew cast on and cast off edges of bands along top of ribbing.

COLLAR: With right side of work facing and 4½ mm needles pick up and knit 22 sts (*M — 24 sts*) (*L — 26 sts*) along right front neck edge. Pick up and knit 33 sts (*M — 35 sts*) (*L — 37 sts*) along back neck edge and 22 sts (*M — 24 sts*) (*L — 26 sts*) along left front neck edge. 77 sts on needle (*M — 83 sts*) (*L — 89 sts*). Work 8 ins (20 cm) in (K1, P1) ribbing as given for body. Cast off in ribbing. Fold collar to inside and sew in position.

RIGHT AND LEFT FRONT EDGINGS: With right side of work facing and 4.50 mm crochet hook, work 2 rows sc along entire front edge working through both layers of collar. Sew zipper in position.

FRONT BAND: With 4½ mm needles cast on 9 sts and work (K1, P1) ribbing as given for body until band fits up right front edge to top of collar. Sew band in position along right front panel edge having outside edge of band overlap zipper opening. **Do not press.**

10. Indian-Style Jacket

(shown on back cover)

SIZES AND MATERIALS:

	Small			Medium			Large			Extra Large		
Bust measurement	30-32	ins (76-81 cm)		34-36	ins (86-91 cm)		38-40	ins (97-102 cm)		42-44	ins (107-112 cm)	
Finished bust	40	" (97")		44	" (112")		48	" (122")		52	" (132")	
Length from top of shoulder	28	" (71")		28	" (71")		30	" (76")		30	" (76")	
Sleeve seam	18½	" (47")		18½	" (47")		19½	" (50")		19½	" (50")	

Beehive Shetland Chunky (50 g)

	B	12 balls	13 balls	14 balls	15 balls
Main colour	B	12 balls	13 balls	14 balls	15 balls
Contrasting colour	A	2 "	2 "	2 "	2 "
Contrasting colour	C	4 "	4 "	5 "	5 "
Contrasting colour	D	1 "	1 "	1 "	1 "

Two 4½ mm (U.S. 7) and two 6 mm (U.S. 10) knitting needles or whichever needles you require to produce the tension given below. One separating zipper. One 4.50 mm (U.S. 7) crochet hook.

TENSION: 15 sts and 20 rows = 4 ins (10 cm) with 6 mm needles in stocking st.

The instructions are written for small size. Any changes necessary for medium size (M), large size (L) and extra large size (XL) are written in brackets thus: ().

BACK: With B and 4½ mm needles cast on 75 sts (M — 83 sts) (L — 91 sts) (XL — 99 sts).

1st row: (Right side). K1. *P1. K1. Repeat from * to end of row.

2nd row: P1. *K1. P1. Repeat from * to end of row.

Repeat these 2 rows (K1. P1) ribbing for 3 ins (8 cm) ending on a 2nd row.

Note: When working pattern, work stranding or colour block method as required.

Stranding Method: Carry yarn not in use loosely across wrong side of work but never over more than 3 sts. When it must pass over more than 3 sts, weave it over and under colour in use on next st or at centre of sts it passes over. The colours are never twisted around one another. When changing colours in order to prevent a hole, pass colour to be used underneath and around to right of colour just used.

Colour Block Method: Wind small balls of the colours to be used, one for each separate area of colour in the design. Start new colours at appropriate points. When changing colours, twist the two colours around each other where they meet, on wrong side, to avoid a hole.

Change to 6 mm needles and work chart V in stocking st to end of chart reading rows from right to left to centre st, then beginning with st to right of centre read rows from left to right to complete row.

LEFT FRONT: **With B and 4½ mm needles cast on 37 sts (M — 41 sts) (L — 45 sts) (XL — 49 sts) and work 3 ins (8 cm) in (K1. P1) ribbing as given for back, ending on a 2nd row. **

Change to 6 mm needles and work chart VI in stocking st to end of chart reading **knit** rows from **right** to left and **purl** rows from **left** to right.

RIGHT FRONT: Work from ** to ** as given for left front.

Change to 6 mm needles and work chart VI in stocking st to end of chart reading **knit** rows from **left** to right and **purl** rows from **right** to left.

SLEEVES: With B and 4½ mm needles cast on 35 sts (M — 35 sts) (L and XL — 39 sts) and work 2½ ins (6 cm) in (K1. P1) ribbing as given for back, ending on a 2nd row and increasing 18 sts evenly across last row. 53 sts on needle (M — 53 sts) (L and XL — 57 sts).

Change to 6 mm needles and work chart VII in stocking st to end of chart reading **knit** rows from **right** to left and **purl** rows from **left** to right.

TO MAKE UP: Sew shoulder seams. Sew in sleeves between markers. Sew side and sleeve seams matching patterns. With right side of work facing, B and 6.00 mm crochet hook, work 1 row sc along each front edge.

COLLAR: With B and 6 mm needles cast on 5 sts.

1st row: K1. Inc 1 st in next st. Knit to last 2 sts. Inc 1 st in next st. K1.

2nd row: Knit.

Repeat these 2 rows to 17 sts on needle.

Next row: (Outer edge:) K1. Inc 1 st in next st. Knit to end of row.

Next row: Knit.

Repeat last 2 rows to 23 sts on needle.

Continue even in garter st (knit every row) until collar from beginning measures 13 ins (33 cm) ending at outer edge.

Next row: K1. K2tog. Knit to end of row.

Next row: Knit.

Repeat last 2 rows to 17 sts on needle.

Next row: K1. K2tog. Knit to last 3 sts. K2tog. K1.


Next row: Knit.

Repeat last 2 rows to 5 sts on needle. Cast off.


Sew inside edge of collar evenly around neck edge. Sew zipper in position. Fold collar in half as illustrated. **Do not press.**

INDIAN-STYLE JACKET CHART V


S M L XL



DUPLICATE STITCH



1. Bring needle up through centre of stitch from back of work and * insert from right to left behind stitch immediately above.



2. Bring needle down through centre of original stitch and out through centre of next stitch to be worked.



3. Repeat from * to continue


Omit these 10 rows
for sizes small and medium

KEY

- = Main Colour B
- ▧ = Contrasting Colour A
- ▨ = Contrasting Colour C
- = Contrasting Colour D Duplicate Stitch
- ✕ = Place Markers

Start here

INDIAN-STYLE JACKET CHART VI




Omit these 10 rows
for sizes small and medium

Start here for Left Front

Start here for Right Front

INDIAN-STYLE JACKET CHART VII



KEY

- = Main Colour B
- ⊗ = Contrasting Colour A
- ▨ = Contrasting Colour C
- ▩ = Contrasting Colour D Duplicate Stitch
- ✕ = Place Markers

Helpful Hints

For best results, be sure to use the yarn recommended in the pattern, and purchase enough of one dye lot to complete your project. It is a good idea to retain ball bands in case of inquiry.

Before you begin to knit, check your tension by making a test swatch and adjusting needle sizes, if necessary, to obtain the tension quoted in the pattern. Inaccurate tension results in a garment too large or too small. Even a variation of half a stitch makes an obvious difference in the finished size. Loose tension can result in the garment losing its shape during wear or laundering.

Before beginning, read the instructions and underline all figures applying to your size. Sizes should be chosen from actual bust or chest measurements and not age or ready-to-wear sizes.

Note: Never put an iron directly on yarns containing synthetic fibres.

If pressing is required before assembly, lay each piece right side down on a clean, flat surface and pin to size using rust proof pins. Cover with a damp cloth and leave to dry.

WASHING INSTRUCTIONS

Beehive Shetland Chunky, Beehive Shetland Light and Patons Super Wool: Machine wash. Dry flat.

Patons Canadiana, Patons Diana, Patons Davina and Patons Aran Style: Machine wash. Machine dry.

MACHINE WASHING

Do up buttons and turn the garment inside out. Wash the garment, preferably on its own, with a gentle cycle, using warm water and detergent. Softener may be added to the final rinse. Do not use bleach.

MACHINE DRYING

Tumble dry at a low setting. Do not overheat.

DRYING FLAT

Do not wring, twist or hang to dry. Lay garment on a flat surface away from lights, sunlight and excessive heat. While still damp, gently push garment back to its original measurements.

ABBREVIATIONS

GENERAL

mm	= millimetre(s)
cm	= centimetre(s)
in(s)	= inch(es)
g	= gram(s)
st(s)	= stitch(es)
inc	= increase
dec	= decrease
O	= no sts, times or rows

* The star symbol is a repeat sign and means that you follow the printed instructions from the first * until you reach the second *. You will then repeat from * to * the given number of times, which **does not** include the first time. The ** and *** are used in the same way.

() = The figures inside the brackets mean the instructions for the various sizes for which the pattern has been written. Brackets can also mean that the enclosed instructions are to be worked the number of times stated after the brackets.

M1 = Make one stitch by picking up horizontal loop lying before next st and working into back of loop.

KNITTING

K	= knit
P	= purl
tbl	= through back of loop(sts)
tog	= together
sl	= slip
pssso	= pass slipped st over
Yfwd	= yarn forward
yrn	= yarn round needle
yon	= yarn over needle

CROCHET

ch	= chain
ss	= slip stitch
sc	= single crochet
hdc	= half double crochet
dc	= double crochet
tr	= treble crochet
yoh	= yarn over hook

Beehive Book No. 414 "Learning to Knit" clearly illustrates all these stitches for the beginner.


U.S. Knitters Please Note:

Canadian and American terminologies differ slightly. Equivalents are shown below.

Canadian	U.S.A
Yfwd	= yarn over (yo)
yrn	= yarn over (yo)
yon	= yarn over (yo)
tension	= gauge
cast off	= bind off











8.



 Patons



Printed in Canada